


DESIGN AND DISCOVERY

RUTHERFORD APPLETON LABORATORY

SCIENCE AND ENGINEERING RESEARCH COUNCIL

OPEN DAYS 1990





Foreword

Welcome to the Open Days at Rutherford Appleton Laboratory. I hope you will enjoy seeing for yourself some of the exciting work we do at RAL, work which keeps RAL at the forefront of science and engineering and of which we are justly proud.

The theme of this year's exhibition is 'Design and Discovery'. These are key stages in the lifecycles of research programmes when the need to understand new discoveries often sparks ideas for further experiments. Instruments and systems are then designed and built, the experiments are carried out and data is collected and analysed. This can lead to deeper understanding and further discoveries which may herald new cycles.


RAL supports a wide variety of science and engineering projects for the university and polytechnic community and you will see many examples of design and discovery on your visit. I hope that during your visit you sense the enthusiasm and commitment of all the staff of the Laboratory.

Dr Paul Williams, Director

CONTENTS



Foreword	Inside front cover
RAL : A Mission to Explore	2
Space Science	4
Lasers	8
Materials Research using Neutron	ns10
Particle Physics	12
Computing	14
Information Technology	16
Engineering	18
Support Services	22
Glossary	24
Index	Incide back cover



A MISSION TO EXPLO



RAL is the largest of four SERC laboratories whose main function is to support academic research by operating and developing world class facilities. At RAL this is mainly in the fields of space science, lasers, materials, particle physics, computing and information technology. About 6000 academic scientists and engineers currently make use of RAL in some way.

Situated fifteen miles south of Oxford on the slopes of the Berkshire Downs, the Laboratory presents an impressive range of expertise which has helped to win its world-wide reputation. As well as supporting academic research, some of the scientists and engineers amongst RAL's 1400 staff collaborate on projects themselves. An increasing amount of research is carried out for other government departments, industry and as part of EEC programmes.



The Laboratory welcomes many visitors each year, from primary school children to senior citizens.



The late Soviet human rights campaigner and physicist Dr Andrei Sakharov, pictured here with Director Dr Paul Williams, visited RAL in June 1989.



Situated in a pleasant location on the Berkshire Downs, RAL has grown considerably since its early days.



Professor John Harries, Head of Space Science Department

The UK space science community has an international reputation for the high quality of its research. World-leading instruments have been designed and built by university groups in collaboration with the Space Science

Department at RAL, which is also the technical centre for space science for the British National Space Centre (BNSC). The RAL programme involves the design and development of major instruments destined for space, from those designed for Earth observation satellites to those which enable distant galaxies to be studied.

Space Science Department staff are involved in many collaborative projects with university teams. The programmes cover:

- Earth observation where, from a vantage point in space, the whole of the Earth's atmosphere and oceans can be surveyed in a matter of hours and with great accuracy.
- Studies of the Sun and the way it affects our planet.
- A wide range of astronomy using satellites to look out at the Universe for X-ray, ultraviolet, and infrared emissions from distant stars and galaxies.
- Interplanetary space missions, testing the very matter of the Universe and its planets, stars, and comets.


RAL supports university space science groups by:-


- · managing international satellite and ground based projects;
- providing central facilities for the development and testing of new space instrumentation;
- accommodating data acquisition and central data-processing facilities;
- maintaining its own laboratory and instrument research in support of space experiments;
- exploiting space data for research in collaboration with university groups.

From initial design to data analysis, RAL makes major contributions to the long term research effort invested in space science projects and plays a leading role in the UK space science programme.

SPACE SCIENCE







Satellites are launched into orbit on vehicles such as this NASA space shuttle. The instruments on board are tested at RAL to make sure they can withstand the tremendous vibration at take-off and the harsh environment of space once in orbit.

BUILDING INSTRUMENTS

The Space Environment Test Facility

Instruments being designed for space flight require rigorous testing during their development to make sure they will withstand the harsh environment of space. At RAL, facilities are provided to study the response of space instruments and models to various forms of vibration and to heating and cooling under vacuum. Computer programs are also used to assist in analysing the way in which an instrument responds to these conditions.

A large machine has recently been commissioned which can vibrate items weighing up to 35 kg, applying all the latest ESA and NASA environmental test specifications. Items being vibrated can be cooled to -269°C by a cryostat designed and developed at RAL - this is a unique facility for university groups in the UK. Vibration tests are particularly important in determining whether an instrument will withstand the rigours of rocket launch.

To simulate conditions when actually operating in space, instruments are placed inside a large vacuum chamber 1 metre diameter and 1.7 metres long which is repeatedly cooled (to -173°C) and heated (to 72°C).

The Facility also has large ultraclean laboratories in which instruments can be assembled for final testing prior to launch. A bakeout tank is used to clean instruments by heating them to drive out any unwanted contamination.

Many groups use the Facility for testing subsystems and small instruments, particularly where cleanliness of the testing or assembly environment is of paramount importance. Recent work has included testing instruments where the slightest speck of dust would spoil the high quality mirrors used to obtain very accurate measurements.


GETTING RESULTS

Scientists at RAL are working on experiments that will give us information on the Earth's environmental problems such as the greenhouse effect and holes in the ozone layer.


ATSR, the Along Track Scanning Radiometer, will be launched on a European space mission to survey the Earth later this year. This instrument will measure the temperature of the ocean




Instruments for space are built and tested under very clean conditions as the slightest speck of dust could impair the performance of equipment which cannot be cleaned once launched.



Pictures showing X-ray (left), ultraviolet (right) or optical radiation are information about the Sun's activity.



This highly polished mirror is part of the ATSR system to measure the temperature of the sea surface from 500 miles up in space. The mirror will rotate six times a second throughout the three year mission.



produced by instruments sensitive to these wavelengths, giving

This instrument will measure the temperature of the ocean surface from its position on an orbiting satellite high above the Earth. Temperatures measured to within half a degree will be more accurate than anything previously achieved by remote sensing and will help us monitor global warming.

Another instrument addressing the question of global change is ISAMS, the Improved Stratospheric and Mesospheric Sounder, due for launch on NASA's Upper Atmosphere Research Satellite (UARS) in 1991. ISAMS will study atmospheric chemistry by making measurements of gases thought to be responsible for ozone depletion and so help us identify possible solutions to the problem.

ANALYSING THE DATA

National and International Facilities

RAL acts as a centre for a range of data processing, communications and archiving systems. Amongst these are:

Starlink, a nationwide network of data analysis computers provided to meet the needs of more than 1,000 UK astronomers. The network comprises 22 sites plus a central management computer. Software development is guided by ten Special Interest Groups;

the Geophysical Data Facility (GDF), which helps UK researchers access a wide range of datasets in the fields of atmospheric science and solar-terrestrial physics. Data can be selected, browsed, plotted or networked to other computers for further processing. This data helps researchers increase their understanding of the processes which occur in the atmosphere. The data comes from satellite and aircraft missions, ground-based instruments such as radars and computer prediction models. The GDF will become the main depository of data from UARS, the Upper Atmosphere Research Satellite due for launch in 1991;

the World Data Centre (WDC), part of a world-wide system of geophysical data centres. It collects a wide range of data on solar-terrestrial physics - the study of the transfer of energy between Sun and Earth. A major set of data held at RAL is an extensive collection of measurements from the ionosphere, the Earth's outer shell of electrically charged gas. WDC data is used in academic research and in many application areas such as the operation of short wave radio systems.



Professor Mike Key, Head of the Laser Facility

The Central Laser Facility at RAL is one of the world's leading centres for high-power laser research. Two large lasers, VULCAN and SPRITE, are in operation and their continuing

development maintains the Facility at the forefront of the laser field. An additional service is provided by the Laser Support Facility which maintains a wide range of smaller lasers for use at RAL and on loan.

Central Laser Facility

VULCAN is the most powerful laser dedicated to civil research in western Europe. It is a neodymium glass laser able to deliver over two thousand joules of energy in a pulse lasting just one billionth of a second and can reach a peak power of over five thousand billion watts. It has 12 beams which allow small spherical targets to be uniformly subjected to this intense power, heating them to temperatures approaching those at the centre of the Sun.


Lasers of this kind open the door to the generation and study of high density, high temperature plasmas such as those that exist at the centres of stars. In addition, scientists working at the Facility have made major contributions to the study of laser-plasma interactions.

VULCAN is also a very versatile high power laser. Successive laser pulses of different characteristics are supplied to experiments running concurrently in four separate target areas, each of which is optimised for a different application.


Research covers many aspects of plasma physics relevant to astrophysics, X-ray laser and fusion projects. VULCAN has recently been used to produce an X-ray laser by amplifying the X-rays emitted by a plasma. A laser system of this type could be used to study and photograph individual living cells.

SPRITE is a krypton fluoride gas laser. Its development involves a novel technique of combining laser beams which is paving the way for the development of high power lasers, both in this country and at a possible European High Performance Laser


LASERS




Laser beams directed on a specimen allow the mysteries of photosynthesis



Inside this target chamber the twelve beams of the VULCAN laser are concentrated on a glass sphere smaller than the head of a pin - the temperatures created approach those at the centre of the Sun.



to be studied.



Dense plasmas are formed when two lasers are focused on to a thin foil of plastic coated aluminium. The spacing between the ions in these plasmas can then be measured by using laser-produced X-rays.

Facility. Advanced designs predict that using this system a laser capable of producing one hundred thousand joules of energy and a remarkable million billion watts of power is a distinct possibility.

Laser Support Facility

The Laser Support Facility (LSF) operates and develops a number of smaller lasers used for basic scientific research by the academic community. Frequency-tunable and ultrashort pulse lasers, delivering light from ultraviolet to the infrared, are available on loan or for use at RAL. The Facility concentrates on the provision of complex pulsed laser systems which are valuable in the study of time-dependent processes in chemistry, biology, and some areas of physics. The LSF is typically host to as many as three groups of scientists visiting RAL at the same time with a further seven groups using loan pool lasers in their own laboratories. The studies carried out with LSF equipment frequently complement and extend work which users originally began using their own less complex lasers.

The research is often multidisciplinary. One subject out of many is the sophisticated mechanism by which damage to the DNA of living cells is recognised and repaired. A team of biochemists and cell biologists from the Universities of Birmingham and Sussex and the Medical Research Council, working with laser scientists and engineers from the LSF, have used pulsed lasers to obtain a factor of greater than ten improvement in time resolution over previous techniques. Cells are first damaged using either ultraviolet laser light or X-rays produced by focused laser pulses hitting a metal target. A second laser is then used to activate a radioactively labelled repair inhibitor.

Several groups use time-resolved structural information from light-scattering to identify and follow short-lived intermediate chemical species in complex reactions in, for example, catalysis.

Pulses of light shorter than one thousand billionth of a second are available. In such short times high powers can be delivered by pulses of low energy. On one physics experiment the electric field of the focused light wave is as strong as the forces welding atoms and molecules together and can produce instantaneous disruption.



David Gray OBE, Head of the ISIS Facility

ISIS is a unique neutron scattering facility based on a world-leading source of pulsed neutrons. It is in demand from scientists in the UK and overseas. Agreements for its use exist with

many countries and its activities continue to expand.

ISIS is a young facility, having been inaugurated in 1985. It is the most powerful facility of its kind in the world and has made major contributions in many areas of physics and chemistry. Scientists from the UK, from abroad and increasingly from industry come to use ISIS. At the heart of its wide-ranging impact and success is one tiny subatomic particle, the uniquely versatile neutron.

Neutrons are produced at ISIS by accelerating pulses of protons almost to the speed of light and then smashing them on to a heavy material such as uranium. (Two other particles produced are neutrinos, used for studies in fundamental physics, and muons used primarily for materials research.) There are currently fourteen instruments situated on neutron beam lines around the ISIS target station, each optimised in a different way for a variety of scientific experiments ranging from investigations of crystal structures to studies of magnetism and the forces which hold materials together.

Superconductors and surface science, discussed below, are only two of the many areas of scientific study at ISIS. Nevertheless, they highlight the power of ISIS and the unique versatility of the neutron which helps provide answers to a very broad range of academic and industrial problems.

High Temperature Superconductivity

Why is diamond so hard? Why does ice float on water? Such questions can only be answered at the fundamental level by examining the arrangement of atoms inside the material - its crystal structure. This was done recently at ISIS following the discovery of a new type of ceramic superconductor.

Superconductivity is the loss of all electrical resistance when a

MATERIALS RESEARC




This 52 metre diameter circular machine (a synchrotron) is used to accelerate the particles before they are diverted down a tunnel to collide with a uranium target.



The central target station is surrounded by experimental stations that use

H USING NEUTRONS



Using ISIS, the common factor in the structure of the new high temperature superconductors was discovered - the structure contains planes made up of copper atoms surrounded by a square of four oxygen atoms. The publication of this research had an impact across the world.



the fourteen neutron beams.

material is cooled below a certain temperature. Previously the domain of the ultracold, superconductivity was observed in 1986 in a range of ceramic materials at a "warm" -200°C. This discovery created a flurry of activity amongst researchers world-wide because of the many potential benefits such as ultrafast computers or the cheaper generation and use of electricity.

But what made the new material a superconductor? Scientists at ISIS were the first to publish the correct structure of the superconductor yttrium barium copper oxide. Neutrons were the ideal probe providing a complete picture of the positions of light and heavy atoms. The square arrangement of the oxygen atoms around the copper atoms has proved to be the key feature of all these materials.

Other experiments have investigated the superconductor surface and the motion of its internal structure. These measurements and theoretical studies at ISIS are revealing more about this new phenomenon.

Surface Reflection

A surface, although representing only a minute fraction of a material, has an importance that far outweighs its weight! Corrosion starts at a surface. Surface properties determine why Teflon is used for non-stick frying pans. The microscopic structure of a thin magnetic film sets the quality of a video tape recording. Such problems can be investigated by the CRISP reflectometer at ISIS where neutrons are reflected from the surface under study like light from a mirror. The neutrons hardly penetrate the surface and can probe chemical and magnetic changes over very short distances ranging from the width of an atom to approaching a hair's breadth.

Scientists using CRISP showed that whereas the magnetism in iron disappears as a magnetic film gets thinner, cobalt remains magnetic down to a single layer of atoms. This is of great interest to the magnetic tape industry. CRISP has also been used to watch paint dry and to determine the arrangement of detergent molecules on an oily surface with unique clarity. Perhaps one of the most exciting uses of CRISP is in the study of plastics, investigating such varied topics as bonding and the nature of plastic blends.



Professor George Kalmus FRS, Head of Particle Physics Department

RAL scientists and engineers play leading roles in the international world of particle physics. Major pieces of hardware and software associated with experiments at the

European laboratories have been designed, constructed, and commissioned by RAL staff and the Laboratory acts as a focus for the collection and analysis of data.

Particle physics is the study of the properties and interactions of the elementary constituents of matter. These, according to our present level of knowledge, are quarks (which form protons and neutrons) and leptons (such as the electron). The interactions give rise to the four forces of Nature: gravity, electromagnetism and the strong and weak nuclear forces. All known particles and resulting matter are formed from these quarks and leptons. The study of all the particles is important in understanding the world we live in.

PARTICLE ACCELERATORS

LEP, the Large Electron Positron Collider

Many of the more unusual particles are best produced by recreating the conditions of the "Big Bang" thought to have formed our Universe. At that time, huge amounts of energy resulted in particles being created from the vacuum of space. This process is now reproduced in huge accelerators where simple particles like electrons or protons are accelerated to very high speeds and smashed together to produce massive bursts of energy.

LEP is a particle accelerator at CERN, the European laboratory for particle physics near Geneva. LEP is the world's biggest scientific instrument and came into service in 1989. It is housed in a circular tunnel 27 km in circumference and uses powerful electromagnets to keep the particles on a circular course. Four detectors sited around the ring record tracks left by particles produced when bunches of electrons and positrons collide. RAL staff designed and built major components for three of these detectors and provide technical and computer support to the fourteen UK university groups involved.

PARTICLE PHYSICS

Each experiment is performed by an international collaboration involving hundreds of people and will continue over the next decade, during which millions of particle collisions will be observed. Computers are used to reconstruct flight paths of particles produced in the detectors to try to understand each particular pattern of particles.

In 1983 an experiment with a large input from RAL resulted in the discovery of the W and Z particles based on the observation of just a handful of these rare objects. At LEP thousands of Z particles are detected every day and new discoveries are eagerly anticipated.

With the large amounts of data produced in these experiments, the Particle Physics Department makes extensive use of the IBM computer in RAL's Atlas Centre, and also has its own machine (a DEC Vax cluster) with about 20 workstations.

HERA, the Hadron Electron Ring Accelerator


HERA, an electron proton collider, is sited at DESY near Hamburg. RAL staff are working on HERA experiments which will be similar in some ways to the LEP experiments but collision of electrons with the much heavier protons will produce a different range of physics results.

OTHER EXPERIMENTS

Some interesting studies are done without accelerators. RAL has contributed to a 1000 tonne detector set about half a mile underground in Minnesota to detect proton decay. By carefully monitoring the enormous number of protons (about 10^{33}) in the iron of the detector one decay may be seen. This would once again change our theory of how the Universe works.

"Dark" matter is thought to make up about 90% of the Universe but has not been detected so far. RAL is collaborating with university groups in developing very sensitive new detectors. These will also be housed deep underground in Yorkshire in order to shield the detectors from cosmic rays.

The Particle Physics Theory Group at RAL is continually testing and revising the theoretical models which describe the fundamental interactions of particles. The Group also supports experimenters by interpreting the complexities of the theories and testing them against experimental data.



After years of careful design and development the final pieces of the particle detector are put in place.



Dr Brian Davies, Head of Central Computing Department at the Atlas Centre.

Access to powerful computers is vital to today's researchers. These computers are used to perform enormous calculations and to process huge amounts of data

quickly. The Atlas Centre provides a range of advanced computing facilities, including two supercomputers which constitute a unique resource for numerically intensive computing in the UK, accessible to users in the UK and abroad through a computer network.

THE SUPERCOMPUTERS


The IBM 3090-600E

The IBM machine is a supercomputer with six processors. A share is allocated to a joint study between SERC and IBM on supercomputing and its applications, including drug design and computer modelling.

Another use of this computer is the handling and analysis of data from the LEP experiments at CERN. Data arrives on sealed magnetic cartridge tapes, each of which can hold up to 200 million bits of information. The cartridges are stored in a robot-controlled library. Under the control of an operating system on the mainframe computer the robot fetches a cartridge from its storage slot and mounts it into a drive. Data is then read from the magnetic tape and transferred to the computer's main memory for processing by the user.

The IBM also hosts PROFS, the professional office system which provides office automation facilities for RAL staff. Documents can be created, edited, viewed at the user's terminal or printed on the user's printer. Electronic mail can be sent and received and there is a comprehensive diary facility for keeping a note of appointments, scheduling meetings and the use of conference rooms. Databases containing personnel and financial information are also stored on the computer, which aids the efficient management of this large Laboratory.

COMPUTING




Vast amounts of information are stored at the Atlas Centre including data robots select tapes at the request of computer users.



The Cray supercomputer is built in this unusual shape to minimise the length of electrical connections thereby increasing its speed of operation.

The state of the s

from the LEP experiments at CERN, Geneva. Once the tapes are loaded,



The power of supercomputers is being used to great effect in drug design and modelling.

The Cray X-MP/416

The Cray supercomputer is provided as a joint facility for all the Research Councils. It is a powerful computer consisting of four computer processors, each capable of running up to a quarter of a billion operations every second. A wide range of scientific research is being carried out with the aid of this supercomputer including protein crystallography, drug design, oceanic and atmospheric modelling, structural engineering, and atomic and particle physics.

A project which has made very successful use of the Cray is the UK Universities Global Atmospheric Modelling Project (UGAMP). This has involved a collaboration of seven university research departments and has led to a greater understanding of the large scale motion of the atmosphere, the dynamics of the troposphere and stratosphere and the chemistry and radiation of the stratosphere and mesosphere.

NETWORKING

The Joint Network Team (JNT) is based at the Atlas Centre. This team develops and supports the Joint Academic Network (JANET) which provides links between RAL, other SERC establishments, UK universities and polytechnics, and access to networks in other countries. This enables scientific research workers to communicate with each other, sharing data and submitting computer programs to be run on other computers such as those at the Atlas Centre. Output from these programs, including graphics files, can be sent back over the network to be viewed locally by the user. The JNT has been instrumental in setting up many international network links such as that between JANET and NSFnet, the National Science Foundation's network in the USA, thus assisting the work of the many multinational collaborations in which RAL and other UK scientists are involved.

USER SUPPORT

The Department mounts a comprehensive user support service providing a help desk, a program advisory office, documentation services and a wide range of educational courses on all aspects of the Atlas computing facilities.

Professor Bob Hopgood, Head of Informatics Department

Today's world of ever more powerful computing tools still relies on human users to make the most of new advances. Informatics Department places a strong emphasis on helping users, from

making best use of existing software to incorporating new technology such as the Transputer into their workplaces.

Informatics Department exists to provide the best and most suitable information technology, and advice on how to make the best use of it, to engineers carrying out research in universities and polytechnics. It also carries out research itself to determine what "the best" really is.

Informatics, from the French word informatique, is really shorthand for Information Technology or IT. Information is anything which can be stored as strings of 1s or 0s in a computer. It could be numbers, words, pictures, sounds, facts, descriptions of objects but not the scent of a rose or the quality of mercy, for example.

The EASE Environment


The main support for engineers is concentrated in EASE, the Engineering Applications Support Environment, which evaluates the very latest technology, adapts it for engineers and then informs them about it.

Many of today's engineers write computer programs. This is usually because they have a new idea or technique they wish to try or because existing products do not do quite what they want. Unfortunately once they have written the new and exciting part of the program they have to build a user interface, generate graphical output, agree data exchange formats with other applications and so on. This can be tedious but EASE is coming to the rescue by providing an "environment" which can be thought of as a ready made kit of parts, guaranteed to fit together in many different ways provided that the engineers build their basic structure in the right way.

INFORMATION TECHNO



These computers ("servers") require very little human intervention.



The Transputer is a computer on a single chip which can be connected to many others to build a supercomputer.





The users access the servers from engineering workstations in their offices.

Finite Element Methods

Engineers now use computers to study how objects will behave under certain, often extreme, conditions without having to build them first. This ensures, for example, that structures can be designed to withstand earthquakes or high winds or that fuel is burned more efficiently in a car engine, thus reducing the amount of harmful pollution produced.

Engineers divide objects into small regions (finite elements) in which variations in the quantities of interest (such-as displacement or stress) can be computed. They then assign material properties and external forces to all the elements, assemble all the equations, find a solution for the total system, display the results, and try again with different parameters. Complex objects may need many thousands of elements. Their design and analysis can be very demanding, requiring use of sophisticated software and powerful computers.

Informatics staff are working with engineers to provide the tools required within the EASE environment and are investigating the use of advanced computer systems to solve engineering problems such as the design of electromagnets for body scanners and particle detectors, modelling the transistors in silicon chips, and studying complex fluid flows.

Visualisation

Engineers are used to looking at engineering drawings, and graphics designers at sketches. Modern computer graphics makes it possible to provide an astonishingly realistic picture of any object - real or imaginary - complete with coloured lighting, soft shadows, and reflections.

Modern supercomputers like RAL's IBM 3090 and Cray X/MP solve many problems but create others, one of which is how to understand the torrent of numbers produced. One picture is worth a million numbers, especially if it enables the user to explore his vast multi-dimensional dataset as easily as the USS Enterprise explores hyperspace!

A number of different computer architectures are being compared which might be used for the visualisation of engineering data. These include graphics supercomputers (now almost as powerful as their big and costly brothers), the distributed array processor (combining over a thousand computers) and various parallel processors which exploit the Transputer (still the leading computer on a single chip). An amazing amount of computer power can now be packed into a small box on a desk.



Mike Morris, Head of Technology Department

Technology Department is a centre of engineering expertise in a number of areas. It undertakes a wide range of work, from engineering on the minute scale of a microchip to the building of

massive instruments such as telescopes and superconducting magnets. It turns concepts into finished products to meet the requirements of research scientists.

Astronomical Telescopes

The James Clerk Maxwell Telescope (JCMT) is the largest of a new generation of radio telescopes designed to receive sub-millimetre signals from space. These wavelengths reveal the clouds of dust and molecules where stars are born and other interesting regions of the Universe hidden to visible light and to traditional radio-wave astronomy.

The JCMT has a reflector fifteen metres in diameter with a surface accurate to a fortieth of a millimetre or one part in 600,000. Despite its size, it points to within a thousandth of a degree. It is sited on a 4,000 metre mountain top in Hawaii where the best observing conditions are found. Such an environment can be very harsh. The wind is strong and the Sun's rays are unattenuated so a telescope as sensitive as the JCMT needs to be protected by an enclosure.

The reflector and enclosure were designed at RAL and were assembled, tested and commissioned in Hawaii by RAL staff. The telescope was completed in 1987 and opened by HRH Prince Philip The Duke of Edinburgh. Since then it has been used by many astronomers from UK universities and other establishments world-wide.

Large Magnets

The latest generation of particle physics collider experiments requires large volumes of high magnetic field to assist in particle detection. Such fields can only be generated economically over long periods by using superconducting magnets.

ENGINEERING

RAL recently constructed two of the world's largest superconducting solenoids for particle physics experiments at CERN and at DESY. RAL undertook their design, fabrication, assembly, testing, and installation.

The coils were designed to be cooled to a temperature of -268°C using liquid helium. They carry a current of 5,000 amps and produce a field uniform throughout the bore of the magnet, 5 metres diameter and 6 metres long. The coils were constructed by winding superconducting cable in the form of a solenoid, supported within a thick cylinder to restrain the large magnetic forces. Specially designed coil winding and assembly facilities were set up. Contracts for major components, superconductors, coil shells, and vacuum vessels were placed throughout Europe and the larger components brought to RAL for assembly.


The magnets were shipped to Geneva and Hamburg by a specialist company since the 75 tonne, 6 metre high loads were at the limit of what could be transported by road.

Microstructure Fabrication

Electron and ion beams are used to produce structures with features far narrower than a human hair. The Electron Beam Lithography Facility (EBLF) at RAL supports state-of-the-art research in microelectronics and microengineering.

Modern electronic equipment is often made up of microchips. A microchip is a collection of tiny transistors, capacitors and resistors manufactured in a multi-layer sandwich to make up a three dimensional circuit. Manufacturing a chip usually involves making 'masks' which are used as stencils to etch the pattern of each layer. Up to 16 of these masks may be required to produce a chip - the EBLF handles their production.

As the features are so small and because each layer of the chip must register exactly with those above and beneath the technological demands are very high. The EBLF has a range of high-precision machines in an ultraclean suite of rooms. The equipment writes and inspects the masks in virtually dust-free conditions of not more than 10 particles per cubic foot (a typical "clean" living area has about 1 million particles per cubic foot). These techniques are also being used for the production of very fine structures such as microfilters used for the determination of blood cell characteristics.



 $The \ {\it James Clerk Maxwell telescope.} The \ blind \ which \ protects \ the \ telescope \ from \ the \ extremes \ of \ wind \ and \ Sun \ was \ made \ by \ sailmakers \ in \ Portsmouth.$

Electronics

Electronic technology increasingly forms the heart of modern research equipment. Electronics Division at RAL provides state-of-the-art electronic systems for research projects funded by SERC as well as having a growing involvement in international and industrially-sponsored activities. Electronics is a rapidly advancing and exciting engineering discipline. It is an essential element in the quest to obtain the best technological solutions to a diversity of fascinating problems such as how to recognise a W or Z particle in a particle physics experiment or how to measure sea temperature from a satellite.

RAL provides a comprehensive range of electronic and microelectronic facilities throughout a project. These include design and simulation using the latest computer-aided-design techniques, fabrication, testing, commissioning and maintenance.


Training plays a vital role in maintaining the up-to-date professional ability of engineers. The need to train engineers in the latest technology, especially in microelectronics, has been recognised by the EEC in awarding RAL (in collaboration with four other leading European technology institutes) a major role in organising an ESPRIT project to train 3000 microelectronics engineers per year throughout Europe.

Wind Energy


Research on alternative energy sources has recently received greater attention but there has been a lively and active research programme in wind energy at RAL since 1977.

Universities, with the support of the RAL wind energy research group, have played an important role in UK developments in wind power. Pioneering work at the RAL test site has included development of novel machine designs (since adopted by industry), investigation of wind prospecting methods and the use of computer simulation models to investigate the problems of incorporating wind power into large and small electricity networks.


The largest of the current projects will take wind system integration a further step towards possible commercial



Systems like this, incorporating chips designed at RAL, are also designed the LEP experiments at CERN.



Wind energy is becoming increasingly important as other energy sources become more costly or environmentally unacceptable.



and built here. This electronic readout system was produced for one of



The huge magnet built at RAL for the H1 particle physics experiment in Hamburg is one of the largest in the world.

realisation. It involves novel work using a flywheel to buffer the fluctuating output of a wind turbine and will be extended to building and researching a system with a nominal power output of forty thousand watts.

Radio Communications

Radio plays a vital role in today's communication systems. Broadcasting systems, the international telephone network and mobile telephones are all highly dependent on radio-based technology. Understanding the propagation of radio waves between transmitter and receiver is vital in implementing new systems in an environment of ever increasing spectrum congestion. The Radio Communications Research Unit conducts a range of propagation studies to investigate these phenomena for current and future systems. Radar meteorology and the development of novel radio communication technology are additional aspects of this research activity.

RAL RESEARCH SERVICES



Dr Gordon Walker, RAL Deputy Director

Whilst the primary funding for RAL comes from SERC to support academic research, the Laboratory also undertakes commercial work which allows its facilities and skills to be

exploited by a wider community.

The facility which attracts the greatest additional income is the pulsed neutron source, ISIS, through various agreements for its use by other countries. Other projects attracting funding from outside sources are radio communication (sponsored by DTI and MoD), various EEC programmes such as ESPRIT (microelectronics), BRITE/EURAM (airport security), and JOULE (wind energy). Funds are also received from the Computer Board (which reports to the Department of Education and Science) for the management of JANET, the Joint Academic computer Network.

Site Servicing

All maintenance and minor new works involving RAL buildings and roads and the provision of electrical and mechanical services to the buildings are supervised by the Engineering and Building Works Division. The work can be divided into two areas of activity - building and civil work, and mechanical and electrical services.

Building and civil maintenance activities include planned work such as flat roof maintenance and painting and breakdown repairs which are dealt with on a day-to-day basis.

The electricity distribution system and the lighting and power systems also require on-site support, as do the steam distribution and heating systems, and the distribution of water, gas and compressed air. Regular maintenance is carried out on RAL's air conditioning systems, lifts, cranes, and electric vehicle. Tariffs are negotiated and consumption of electricity and other services is closely monitored.

The Council Works Unit

The Council Works Unit (CWU), responsible for the design and construction of new buildings and alterations to existing buildings at all SERC establishments, is also based at RAL. In addition to RAL the CWU also services Daresbury Laboratory, the Royal Greenwich Observatory and the Royal Observatory Edinburgh, and SERC's overseas observatories at La Palma (in the Canary Islands) and Hawaii.

Work carried out by the CWU spans that of architect and consulting engineer, covering building design, structural engineering and all types of electrical and mechanical services. The CWU has been responsible for all new buildings seen at the Laboratory and alterations to buildings and services required to accommodate new projects and equipment such as ISIS, the James Clerk Maxwell Telescope, the Laser Facility and the Cray and IBM supercomputers.

The work of the CWU starts at the feasibility stage and continues through the detailed design and construction phases to commissioning and final handover to the client. Much of the design work is carried out using a computer based drafting system.

SUPPORT SERVICES



The ISIS target station under construction.



The SERC's new Royal Greenwich Observatory building in Cambridge - designed and constructed by the Council Works Unit.

Administration



Richard Lawrence-Wilson, Laboratory Secretary and Head of Administration Department

Administration can be taken for granted in an organisation like RAL whose main purpose is the pursuit of a full and varied scientific programme. But, in the

background, administration plays a key role in supporting all the Laboratory's programmes.

Every scientific project depends upon the smooth and efficient provision of administration services, from expert photography and reprographics services, through comprehensive financial and personnel support, to the management of the domestic infrastructure such as catering, transport, accommodation and security.

RAL publishes and prints a variety of publicity material and internal reports. The Laboratory library is a good example of a specialist service, providing essential data to research scientists and engineers. Databases are used for information storage and retrieval and the Library holds the latest technical information on standards and specifications.


Finance and Personnel Divisions deal with thousands of transactions and the many tricky problems which arise from handling a substantial annual budget and the employment and training of a large workforce.

Domestic support is provided for the Laboratory's staff and its thousands of visitors. A recent development has been a major extension to The Cosener's House, RAL's residential conference centre in Abingdon, providing up-to-date seminar rooms and additional study bedrooms for visitors using the Laboratory's research facilities and attending meetings of the UK and international academic communities.

A small specialist group provides expert monitoring and guidance on the Health and Safety aspects of the Laboratory's work, a crucial aspect of management in an advanced scientific environment.



The restaurant provides an evening service to cater for researchers working through the night (many RAL facilities run twenty four hours a day).



The Library provides a specialist service to RAL's scientists and engineers, publishing reports on RAL work and supplying the latest information in the form of reports and publications from all over the world.

GLOSSARY

	T.					
	billion	1,000,000,000	reflectometer	an instrument used to measure	CLF	Central Laser Facility
	capacitor	a charge storage device		the reflection of beams from surfaces and interfaces	CRISP	Critical reflection Spectrometer
	collider	a machine which accelerates particles in opposite directions,	solenoid	a coil of wire with a length longer than its diameter	CWU	Council Works Unit
		then directs them into head-on collisions	SPRITE	a large krypton fluoride gas laser, part of RAL's Central	DESY	Deutsches Elektronen- Synchrotron, Hamburg
	cosmic rays	energetic showers of particles which reach the Earth from		Laser Facility	DTI	Department of Trade and Industry
	cryostat	space a vessel designed to be maintained at a specified low	stratosphere	the second layer of the Earth's atmosphere, between approximately 10km and 50km, just below the ozone	EARN	European Academic Research Network
1	Page 1	temperature	Time.	layer	EASE	Engineering Applications Support Environment
•	DNA	deoxyribonucleic acid - the	strong nuclea	r force one of the four		Support Environment
	DIA	gene carrying constituent of living cells	THE MAN	fundamental forces of nature	EBLF	Electron Beam Lithography Facility
e	100	11.10	synchrotron	a circular particle accelerator		
	elementary o fundamental		Transputer	a computer built on a single silicon chip; a building block	EEC	European Economic Community
		a collective name for those particles of matter that cannot		for powerful computers	ESA	European Space Agency
	hadron	be subdivided into smaller particles a family of fundamental	troposphere	the layer of the atmosphere nearest the Earth, between ground level and approximately 10 km	ESPRIT	European Strategic Programme for Research and Development in Information Technology
		particles which are subject to the strong nuclear force	VULCAN	a large neodymium glass laser, part of RAL's Central Laser	HERA	Hadron Electron Ring Accelerator
	ISIS	RAL's pulsed neutron source		Facility	ISAMS	Improved Stratospheric and
	leptons	a family of fundamental particles which are subject to the weak nuclear force	W	Particle first discovered at CERN which advanced our understanding of the	JANET	Mesospheric Sounder Joint Academic Network
	mesosphere	the third layer of the Earth's		electromagnetic force and the weak nuclear force	JCMT	James Clerk Maxwell Telescope
		atmosphere, between approximately 50 km and 85 km, just above the ozone layer	weak nuclear	force one of the four	JNT	Joint Network Team
	muon	elementary particle, similar to	Z and Z°	fundamental forces of nature	JOULE	Joint Opportunities for Unconventional or Long-term Energy supply
		the electron but 207 times heavier		See W 0.000,000,000,000,000,000,000,000,000	LEP	Large Electron Positron
	neutrino	elementary particle subject to the weak nuclear force			2/5	Collider
				V	LSF	Laser Support Facility
	neutron	a particle with zero charge, that is a constituent of the atomic nucleus			MoD	Ministry of Defence
	plasma	an ionised gas containing		The state of the s	MRC	Medical Research Council
	Panomin	approximately equal numbers of electrons and positive ions	Acrony	ms	NASA	National Aeronautics and Space Administration
	positron	the electron's "anti-particle" - similar to the electron, but with	ATSR	Along Track Scanning Radiometer	NSFnet	National Science Foundation network
		positive electric charge	BNSC	British National Space Centre	PROFS	Professional Office System
	proton	a positively charged particle made from three quarks that is a constituent of all atomic nuclei	BRITE/EURA	M Community Research and Development Programme on Manufacturing and Technologies in Advanced	RAL	Rutherford Appleton Laboratory
	quark	a fundamental particle, the		Materials	SERC	Science and Engineering Research Council
		building block for hadrons such as protons and neutrons	CERN	Centre Europeen pour la Recherche Nucleaire, Geneva	WDC	World Data Centre

INDEX

administration	23
alternative energy	20
astronomy	
Atlas Centre	
atmospheric studies	
atmospheric modelling	
ATSR	
Big Bang	
BNSC	
building works	
catalysis	0
Central Laser Facility	
CERN	
clean rooms	
commercial research	2,21
computer	4 3 24
- networks	15,/
- modelling	
- programming	
- graphics	
computer-aided-design	20,22
computing	14-15
conference centre	23
Cosener's House	23
Council Works Unit	22
Cray	
dark matter	
data	
- analysis	7 12
- collection	
- storage	
Design and Discovery	
DESY	
detectors	
DNA	
drug design	
Earth observation	
EASE	
EBLF	
electrical supplies	
electron beams	1 AP 34 3 44 3 44 5
electronics	
electronic engineering	
elementary particles	
engineering	18-21
finance	23
finite element analysis	
fundamental particles	12,10
Geophysical Data Centre	7
greenhouse effect	6
health and safety	
HERA	
IBM	
informatics	
Information Technology	
international collaboration.	
	111 A U / MU
introduction to RAI	2-3
introduction to RAL	
ion beams	18
ion beamsISAMS	18 7
ion beams	18 7 10-11,22

JANET	
JCMT	.18
Laser Support Facility	.9
lasers	8-9
LEP	12.14
leptons	
library	23
lithography	
LSF	.9
location, RAL	
magnets	.18
materials research	.10
microchips	.18
microelectronics	
muons	
networks	
neutrino	
neutrons	
office automation	
ozone	.7
particle physics	.12-13
particle accelerator	.10.12
particle detectors	12 18
personnel	
-b-tb-	22
photography	.23
PROFS	.14,23
proton decay	.12
quarks	.12
radio communications	.21
RAL Research Services	
reprographics	23
Teprobation and the second	-
rabote	14
robots	.14
rocket launch	.5,6
rocket launchsatellites	.5,6 .4,7
rocket launch satellites SERC	.5,6 .4,7 .2
rocket launch satellites SERC solenoid	.5,6 .4,7 .2 .18
rocket launch satellites SERC solenoid space science	.5,6 .4,7 .2 .18 .4-7
rocket launch satellites SERC solenoid space science	.5,6 .4,7 .2 .18 .4-7
rocket launch satellites satellites serce solenoid space science spritters spritters spritters service services	.5,6 .4,7 .2 .18 .4-7
rocket launch satellites selection solenoid space science SPRITE Stralink space science stralink selection space science space science space science stralink selection selectio	.5,6 .4,7 .2 .18 .4-7 .8
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials	.5,6 .4,7 .2 .18 .4-7 .8 .7
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4
rocket launch satellites SERC	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18
rocket launch satellites SERC	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers superconductivity superconducting magnets support services	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18
rocket launch satellites stellites services solenoid space science spRITE stralink structure of materials supercomputers superconductivity superconductivity superconducting magnets support services surface studies suprace studies support services surface studies services surface studies services surface studies support services support services support services surface studies support services support s	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23
rocket launch satellites stellites services solenoid space science spRITE stralink structure of materials supercomputers superconductivity superconductivity superconducting magnets support services surface studies suprace studies support services surface studies services surface studies services surface studies support services support services support services surface studies support services support s	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23
rocket launch satellites satellites services solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers superconductivity superconductivity superconducting magnets support services surface studies synchrotron services	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23 .11
rocket launch satellites satellites selection space science sprite structure of materials surpercomputers superconductivity superconductivity superconducting magnets surface studies synchrotron target station selection speed speed sprite station selection speed selection state station selection space station selection space station selection space station selection space selection selection space station selection space selection se	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .11 .10,18 .18 .22-23 .11 .10,12
rocket launch satellites satellites selection solenoid space science sprite structure of materials suructure of materials supercomputers superconductivity superconductivity superconducting magnets support services surface studies synchrotron target station telescopes	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23 .11 .10,12 .10
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers superconductivity superconductivity superconducting magnets support services surface studies synchrotron target station telescopes test facility services station stelescopes station stat	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .11 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers superconductivity superconductivity superconducting magnets support services surface studies synchrotron target station telescopes test facility theory station st	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .11,10,18 .18 .22-23 .11 .10,12 .10 .18,19,2
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers superconductivity superconductivity superconducting magnets support services surface studies synchrotron target station telescopes test facility theory thermal testing superconducting magnets support services surface studies synchrotron target station telescopes test facility theory superconducting magnets support services surface studies synchrotron target station telescopes station telescopes station support services station station support services station station support services support servi	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2
rocket launch satellites satellites selection solenoid space science sprate structure of materials supercomputers supercomputers superconductivity superconducting magnets support services surface studies synchrotron target station telescopes test facility theory thermal testing Transputer	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14,.10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12
rocket launch satellites SERC solenoid space science SPRITE Stralink structure of materials Sun, the supercomputers superconductivity superconductivity superconducting magnets support services surface studies synchrotron target station telescopes test facility theory thermal testing superconducting magnets support services surface studies synchrotron target station telescopes test facility theory superconducting magnets support services surface studies synchrotron target station telescopes station telescopes station support services station station support services station station support services support servi	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14,.10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12
rocket launch satellites satellites selection solenoid space science sprate structure of materials supercomputers supercomputers superconductivity superconducting magnets support services surface studies synchrotron target station telescopes test facility theory thermal testing Transputer	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12 6
rocket launch satellites	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23 .11 .10,12 10 18,19,2 6 11,12
rocket launch satellites	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12 6 11,12
rocket launch satellites	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .4 .14 .10,18 .18 .22-23 .11 .10,12 10 18,19,2 6 11,12 6 11,12 6
rocket launch satellites	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .14 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12 .6 .16 6 2 17
rocket launch satellites	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .14 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12 .6 .16 6 2 17 8
rocket launch satellites	.5,6 .4,7 .2 .18 .4-7 .8 .7 .10 .14 .10,18 .18 .22-23 .11 .10,12 .10 .18,19,2 .6 .11,12 .6 .11,12 .6 .11,18 .22 .10 .11,19 .10 .11,19 .10 .11,19 .10 .11,19 .10 .11,19 .11

