Hampshire Stockbridge

SO20 6BJ

Fax: (01264) 860142 Tel: (01264) 860391

Daresbury Laboratory

Keckwick Lane

Warrington Daresbury

WA4 4AD

Fax: (01925) 603100 Tel: (01925) 603000

Rutherford Appleton Laboratory

Chilton

Didcot


OX11 OQX Oxfordshire

Tel: (01235) 821900

Fax: (01235) 445808

Annual Report 1998-99





feedback, carried on their discussions about particle physics well into their journeys home. Complementing formal education by relating school science emphasis on practical sessions and seeing science in action, the students were kept busy all day and, to front-line research CLRC Rutherford Physics at a special Appleton Laboratory in Institute of Physics experiencing the physicists, with their March. With the excitement of Particle Nasterclass held at eachers, spent a day ccording to post-event

Over 100 6th form

takes advantage of the Council's unique role.

© Council for the Central Laboratory of the Research Councils 2000

ISSN 1366-235X

of the Research Councils for the Central Laboratory Report of the Council

1 April 1998 – 31 March 1999

submits the following report on its activities from 1 April 1998 In accordance with Schedule 1 to the Science and Technology Act, 1965, the Council for the Central Laboratory of the Research Councils to 31 March 1999

Dr ARC Westwood FREng NAE

Chairman and Chief Executive

Laid before Parliament on 23 February 2000

Glossary

Expansion of the acronyms used in the 1999 Annual Report

		Investors in People	IIP	
World Wide Web Consortium	W3C	High Energy Transfer chopper spectrometer	田田	
Virtual Reality	×R	England		
Very High Frequency	¥	Higher Education Funding Council for	HEFCE	
United States of America	USA	General Materials Diffractometer	GEM	
United Kingdom Alomic Energy Authority	UNACA	Gigabecquerel	GBq	
United Kingdom	F. F.	Fellow of the Royal Society	FRS	
o new neuron specifometer on ISIS	I COCA	Fellow of the Royal Academy of Engineering	FREng	
Terabecquerel	TBq	Information System		
Synchrotron Radiation Source	SRS	Financial Accounting and Management	FAMIS	
Solar and Heliospheric Observatory	SOHO	European Union	E	
Stanford Linear Accelerator Centre	SIAC	Engineering and Physical Sciences Research	EPSRC	
Japanese name, Rikagaku Kenkyushol		Engineering Education Scheme	EES	
Institute of Physical and Chemical Research in lapan (RIKEN is an abbreviation of its	RIKEN	Department of Trade and Industry	DTI	
Rutherford Appleton Laboratory	RAL	Daresbury Laboratory	DI	
Public Understanding of Science	PUS	Technology Service	DAKIS	
Council	PPAKC	Comprehensive Spending Review	CSR	
Office of Science and Technology	OSI	Cellular Radio Access for Broadband Service	CRABS	
Office for Standards in Education	OFSTED	Compact Muon Solenoid	CMS	
National Environment Research Council	NERC	Central Microstructure Facility	CWF	
National Audit Office	NAO	Complementary Metal-Oxide Silicon	CMOS	
National Academy of Engineering	NAE	Consiglio Nazionale delle Richerche	CNR	
Medical Research Council	MRC	Central Laboratory of the Research Councils	CLRC	
Ministry of Defence	MoD	Central Laser Facility	CLF	
Mega electron volts	MeV	particle physics)		
Medical Research Council)		Conseil Europeen pour la Recherche	CERN	
Laboratory of Molecular Biology (part of the	IMB .	Coronal Diagnostic Spectrometer	CDS	
Large Hadron Collider (at CERN)	동	Research Councils		
Joint Research Equipment Initiative	JREI	Council for the Central Laboratory of the	CCIRC	
Joint Infrastructure Fund	₩	British National Space Centre	BNSC	
Infrared Space Observatory	ISO	Research Council		
institut National de Kecherche en Informatique et en Automatique	IVKIA	Biotechnology and Biological Sciences	BBSRC	
Institut Laue Langevin		The Advanced Along-Track Scanning Radiometer	AAISR	
		1		

CCLRC

Mission and Council membership

The mission of the CCLRC

As set out in the Royal Charter

The objects for which the Council is established and incorporated are:

- a) to promote high quality scientific and engineering research by providing facilities and technical expertise in support of basic, strategic and applied research programmes funded by persons established in this Our United Kingdom and elsewhere;
- to support the advancement of knowledge and technology, meeting the needs of research councils, other
 customers and their user communities, thereby contributing to the economic competitiveness of Our United
 Kingdom and the quality of tife;
 to movide advice, disseminate knowledge, and promote public understanding in the fields of science, avainage
- to provide advice, disseminate knowledge, and promote public understanding in the fields of science, engineering and technology as engaged in by the Council under a) and b) above.

Chairman and Chief Executive

Dr Albert R C Westwood FREng NAE served as Chairman and Chief Executive throughout the year.

Members

Dr Gordon Walker Mr Philip Ruffles FRS FREng Dr Allyson Reed Mr Richard Lawrence-Wilson Professor Robin Williams FRS Professor Sir John Krebs FRS Professor Louise Johnson FRS Professor Julia Higgins CBE FRS FREng Professor Richard Henderson FRS Professor Brian Eyre CBE FREng University of Wales, Swansea Rolls Royce plc Commercial Director, CCLRC Director, Administration and Finance, CCLRC University of Oxford MRC Laboratory of Molecular Biology, Cambridge University of Oxford Director, Research and Development, CCLRC Natural Environment Research Council Imperial College, London

Professor Eyre, Professor Higgins and Professor Krebs were also Council members respectively of PPARC, EPSRC and NERC.



Dr A R C Westwood FREng NAE Chairman and Chief Executive

The past year has been extremely productive. One of the primary responsibilities of the Council is to develop and operate world class facilities for the benefit of our colleagues in academia. Several actions are worthy of note in this regard, for example, upgrading the capabilities of the synchrotron X-ray source at Daresbury so that it can unravel the structure of complex biological molecules at least twice as fast as before; commissioning MAPS, the world's most advanced neutron spectrometer which will provide new insight into the origins of

should come on line in 2005. been set aside for the new source, the Wellcome Trust has the design and construction of a next generation the Vulcan laser system to provide one of the most which will provide new insight into the origins of MAPS, the world's most advanced neutron spectrometer capabilities of the synchrotron X-ray source at Daresbury promised to make a major financial contribution, and it synchrotron X-ray source, DIAMOND. Funds have now studies; and presenting a successful case to DTI-OST for powerful and versatile lasers in the world for scientific donated to our Central Laser Facility, and integrated into Laboratories' now decommissioned NOVA laser to be arranging for components from Lawrence Livermore magnetism, superconductivity and other phenomena; molecules at least twice as fast as before; commissioning so that it can unravel the structure of complex biological

rechargeable batteries, the molecular structure of behaviour of the polymer electrolytes used in from ISIS has come new insights into the structure and on the award of the Chapman Medal of the Royal and global warming. The latter finding followed closely Science has come the widely publicised discovery of the and hence 'cleaner' chemical processes; and from Space the predictable development of more efficient catalysts. new insights into the mechanisms of the industrially advanced parallel computing techniques is permitting have mass; combining quantum mechanics with new understanding of the nature of interactions between number of exciting developments. To note just a few... jointly with university associates, have produced a research programmes at the CLRC, usually carried out end being significant advances in mechanistic Of course, equipment is merely a means to an end, the his extensive work on Sun-Earth interactions. Finally, Astronomical Society to team leader Mike Lockwood for first conclusive, quantitative link between solar activity important phenomenon of catalysis, possibly leading to finding by Japanese workers which implies that neutrino the eventual prospects of artificial eyesight; results from understanding. Again, we are happy to note that work at the Soudan mine in Minnesota support a recent nerve cells and an optically active silicon surface open up

> antibodies such as immunoglobulin, and the origins of superconductivity in certain organic materials.

The management team was strengthened by the arrival of new Finance Director, Stuart Hopley, and Head of Human Resources, Paul Hartley, Richard Holdaway was promoted to replace the retiring Director of Space Science Division, Eric Dunford, and Keith Jeffrey has served as Acting Director Information Technology (IT) and Chief Information Officer on Brian Davies' retirement. During the year, Keith's IT staff and members of the Finance Department worked closely with technical staff from Oracle and Pricewaterhouse Coopers and we now have a financial management system that permits control of our numerous projects.

During the year we welcomed HRH The Duke of Edinburgh to CLRC Daresbury Laboratory and HRH The Duke of Kent to CLRC Rutherford Appleton Laboratory. Both showed great interest and enthusiasm for the work presented to them... as did the more than 5000 visitors, including over 1000 school children, who attended our Open Days in June 1998.

Media Corporation, and were proud to note that one of Organisations, are discussing with MoD the possibility of United Kingdom". I believe that there is more we could councils, but also of "other customers... thereby not only in meeting the needs of the (funding) research in the Government's White Paper on Competitiveness. Technology, was featured as a commercial success story the products of an earlier collaboration, Bookham have spun out another startup company, Interactive becoming a more significant element of their science base Association of Independent Research and Technology begun to do so. We have become active members of the do in regard to the latter responsibilities and we have contributing to the economic competitiveness of the us to support the advancement of science and technology Regarding the future of the CCLRC, our Charter calls for

Looking ahead, advances in information technology and more proficient use of the Web provide opportunities for novel, distributed and more efficient ways of conducting research that will, in time, enhance the return on the taxpayer's investment in CCLRC.

Further information

the washing


CCLRC

Contents

Financial summary
Senior management
Business Development – new partnerships
Information Technology
Modelling
Satellite testing
Detector systems
Sample analysis service
Resident companies
Commercial partnerships
Financial and management systems
Year 2000 compliance
Environmental Policy
Health and Safety
Equality of apportunity
Maintenance of a skilled workforce
Public Understanding of Science and Technology (PUST)
Major facilities and programmes
Operations
Achieving our objectives
And there's more
Computing
Engineering and Instrumentation
Space Science and Technology
Particle Physics
Lasers
ISIS
Synchrotron Radiation
Programme review


Performance

Facilities and programmes in 1998-99



RIKEN	Matra Marconi Space	The Royal Institution	Medical Research Council	DTI Radiocommunications Agency	Biotechnology and Biological Sciences Research Council	Commission of the European Communities	Natural Environment Research Council	Particle Physics and Astronomy Research Council	Engineering and Physical Sciences Research Council	The ten largest customers in 1998-99
0.7	0.8	0.9	1.5	2.0	2.8	3.6	5.9	18.1	40.1	£ millions

Principal user communities in 1998-99



* The computing community is 7500 but the user last contain users also registered on other facilities. The numbers shown do not include ergineers supported in 515 institutions across the UK and Europe through the Council's microelectronics support centre.

PERFORMANCE AGAINST TARGETS

ď	Target definition	1997-98 Result	1998-99 Target	1998-99 Result
-	ISIS PULSED NEUTRON, MUON AND NEUTRINO SOURCE			
	Weighted user satisfaction level on a scale of 0 to 100.	83	80	84
5	ISIS PULSED NEUTRON, MUON AND NEUTRINO SOURCE			
	Level of integrated current.	672mA-hr	630mA-hr	656mA-hr
္	SYNCHROTRON RADIATION SOURCE			
	A 'high' level of user satisfaction with the service provided.	83%	80%	78%
4.	SYNCHROTRON RADIATION SOURCE			
	Operating efficiency.	94%	90%	92%
5.	CENTRAL LASER FACILITY			
	Vulcan user satisfaction levels of 'good' or above.	88%	80%	80.1%
6.	CENTRAL LASER FACILITY			
	Vulcan shot success rate.	96%	90%	94%
7.	OVERALL EFFICIENCY			
	Running costs as a percentage of total budget.	11.5%	11.5%	11.8%

- 1. All users of ISS are given on eat questionnaire after completing their experiments. The target applies to the weighted score on a 5 point scale from "oscallent" to 'poor' of responses to 15 questions about aspects of the survives provided.

 2. The integrated current delivered during the year by the ISS synchrotron is a global measure of the neutron, muon and neutrino production. It is a strong indicator of the capability to undertrake experiments at the facility.

 3. All users of the SRS are given on eat questionnoire after completing their experiment, inviting them to rate or thigh," medium or low their satisfaction level with a variety of detailed parts of the service. This target is to the overall service provided to SRS users.

 4. The figure refers to the botal amount of time the synchrotron operated divided by the time scheduled during the whole year.

 5. All users of Vulcan are given an experimental report form after completing their experiment. The target applies to the overage score on a 6 point scale from 'outstanding' to 'wholly unsatisfactory' in response to 7 questions about aspects of the services provided.

 6. The target refers to the success rate of full Vulcan disc complifier shots delivered to the target areas direct on special controls.

 7. Running costs are defined by Government to cover specific central administrative functions and are subject to special controls.



Programme review

expertise has developed to which researchers have access, either and is the home of internationally renowned researchers in fields from and abroad. It operates on three main sites, the Rutherford Appleton The Central Laboratory of the Research Councils (CLRC) is the UK's universities and industry. Eighty per cent of the funding for the directly or via the appropriate funding research council. Over the past microelectronics to particle physics. As a result, a critical mass of Laboratory, the Daresbury Laboratory and the Chilbolton Observatory X-rays, neutrons, muons and laser light to scientists from both the UK primary user facility organisation, providing world class sources of other UK research councils, whilst the remaining twenty per cent comes programmes carried out by the CCLRC comes through partnership with year the emphasis has been on building partnerships both with through direct partnership with universities, industry and overseas

at the forefront of scientific and technological close collaboration with CLRC's support scientists research and helping the UK's academic and spectrometer, TOSCA, on the ISIS neutron and Synchrotron Radiation Source, a new neutron developments. These include an upgrade of the and engineers. This year has seen several major and services over the past year - usually working in More than 10,000 people have used CLRC's facilitie performance they could not achieve on their own industrial communities to reach levels of are an essential part of maintaining CLRC's position femtosecond laser - ASTRA. Such developments muon facility, and the first phase of a new


Synchrotron Radiation

chosen to determine the complex structure of the range of wavelengths they need for a Daresbury Laboratory produces very bright light anywhere in the world. The light is fed to X-rays. This source was the first of its type electromagnetic spectrum from far infrared to hard in a broad energy band that covers the The Synchrotron Radiation Source (SRS) at CLRC particular experiment. For example, X-rays may be 40 experimental stations where researchers select

> chemical, biological, materials, environmental and a day, the SRS delivered over 5000 hours of beam medical science research. has applications in many areas of physical, time to about 2000 users. Synchrotron radiation how these huge molecules fold. Running 24 hours proteins, whilst ultraviolet light is used to study

that coumestrol interacts with the cells' cytoplasm chemical has been absorbed. Early results show possible to tell exactly where and how much of the ultraviolet confocal fluorescence microscopy, it is both animals and man. Using a technique called and hops, can cause significant biological effects in oestrogens, found in plants such as soy, linseed absorbed into living cells. These plant-derived phyto-oestrogens, such as coumestrol, are investigate how potentially harmful been using ultraviolet light from the SRS to Researchers from King's College London have

molecules break up in the Earth's upper the mechanism by which sulphur dioxide Reading University have used soft X-rays to find fuelled power stations. A team of scientists from Another chemical known to affect human health is sulphur dioxide - the main source being fossil-



ear for biological and medical studies. owing that coumestrol interacts with the earch, the SRS is used more and more each plasm of living cells. As well as its more tional importance to materials and chemical

could be determined. Such information is also of correlate the fragments produced from an tast timing electronics were used to collect and oxygen atoms. High speed particle detectors and chemical bond between the sulphur and one of the electron. This results in the breaking of the the simultaneous ejection of another bonding which an electron from a bonding orbital falls with from the sulphur atom, leaving behind a hole into reaction involves a core electron being removed energy released and the time-scale of the break-up atmosphere. Their results show that the main Venus and Io, one of Jupiter's moons been found to be present in the atmospheres of interest to planetary scientists: sulphur dioxide has onisation event. From these data, the kinetic

In some cases it is not enough simply to species - azafullerene, C59N - will sublime and and X-ray absorption, have shown that one such real potential for the fabrication of molecular understand processes at the atomic level, it is also adsorb onto a clean silicon surface in monomeric tunnelling microscopy, photoelectron spectroscopy University, using a combination of scanning buckyballs. A team of scientists from Nottingham modification of individual fullerene molecules nanostructures for the 21st century is the chemical necessary to control them. An example that has

> that a strong interaction occurs with a clean silicor form. This result was unexpected since azafulleren surface, stabilising the monomer. This type of photoemission data, collected at the SRS, reveals usually exists as a dimer. Analysis of valence band

electronic devices for the the development of nanoscal next millennium

SIS

the target, feeding sixteen different experimental shatter its atomic nuclei into fragments, including and directed onto a heavy metal target where they are released from the accelerator 50 times per second accelerated. Bunches of these high energy protons case, protons rather than electrons are being synchrotron similar to that of the SRS but, in this and Japan. This huge machine consists of a greater than that of sources in the US performance is ten times then directed down beam tubes that radiate from copious numbers of neutrons. These neutrons are

temperature superconductivity, knowledge that accepted theoretical mechanism for high scientists have yet to come up with a widely discovery of high temperature superconductors. Even though it has been over a decade since the experiment is an important step

CLRC Rutherford

The ISIS facility at

Appleton

powerful pulsed

world's most Laboratory is the

source. Its overall neutron and muon

from physics, chemistry, biology, earth and material user community of over 1600 researchers is drawn stations. The proton beam also feeds the important A ball and stick onto a clean silicon - which can be azafullerene, C₅₉N of new applications to the identification the SRS contributes on new materials, of analytical bringing a variety when adsorbed doped fullerene model of nitrogen echniques to bear stablised in urface. By omeric form

RIKEN and EU-funded Muon facilities. The ISIS

of the new MAPS also lie at the hear ISIS. HET uses revealed by the HET YBa2Cu3O66 as osition-sensitive pectrometer on letectors which

of high temperature superconductors is the the incomplete 3d-shells of the copper ions (3d9) temperature superconductor. An impo may hold the key to developing a roon nagnetism that results from spins associated with

times the capability of conventional spectrometers MAPS produces half a gigabyte of data - 100,000 spectrometer at ISIS. A single measurement on that the low-frequency magnetic excitations in the position-sensitive detectors which lie at the heart of the design of the MAPS, the new A recent ISIS experiment, however, has revealed excitations would not have been possible without strontium-copper-oxide (La_{2-x}Sr_xCuO₄). yttrium-barium-copper-oxide (YBa₂Cu₃O_{6.6}) are Fluctuations of these spins give rise to magnetic rirtually identical to those seen in lanthanumlectron pairing that leads to superconductivity excitations in the material, and might mediate th luency magr

Naphthalene (C_6H_{10}) in carbon dioxide (CO_2) has fluids offers a way of dispensing with toxic A new type of technology involving supercritical solvents used in the chemical industry.

> the CO2 molecules form a well-defined ring fluid extraction processes by both computer simulation and experimentation. Preliminary around each naphthalene molecule. analysis of neutron diffraction data suggests that ecome a model system for studying supercritica

concentration, the pH of the protein solution and biological fluids - was found to depend on lysozyme – a globular protein present in many the structure of the protein films at air/liquid and scientists from Surrey University have been using neutrons can also provide information about also the nature of the solid surface. neutron reflectivity measurements to determine macromolecules, such as proteins. A team of quid/solid interfaces. The adsorption of well as systems comprising small molecules

world's premier pulsed neutron and muon facility further consolidating the position of ISIS as the diffractometer of its type) to the instrument suite new diffractometer, GEM (the most sensitive Work on the next generation of instruments is underway. Next year will see the addition of a

ISIS, producing

nuch more data

from a single

ver before.

MAPS is the latest


Lasers

 $(50 \times 10^{19} \text{ Watts/cm}^2)$, coherent pulses of light. of CLRC's lasers is Vulcan which is capable of from around the world with access to high power temperature and pressures when they strike a target These are capable of producing extreme generating very short (10-12 seconds), ultra bright number of smaller scale, tuneable lasers. The largest glass and titanium sapphire lasers as well as a The Central Laser Facility provides researchers enough to create a plasma out of solid aluminium

by a factor of 10,000 over conventional techniques This is the highest collective electric field ever of electric fields within the plasma of 100 GV.m-1 up to 100 MeV which correspond to the production in the plasma wave created have shown energies of Measurements of the energies of electrons trapped $(50 \times 10^{12} \text{ Watts})$ is focused into a jet of helium gas radiation originating from the Vulcan laser with a studying how electrons can become trapped and CLRC Rutherford Appleton Laboratory have been produced in a laboratory and represents an increase power of approximately 50 terawatts sub-picosecond (<10⁻¹² seconds) pulse of laser plasma wave created in an ionised gas. A short, accelerated to high energies in a large amplitude Lawrence Livermore National Laboratory and University of California, Ecole Polytechnique, A group of scientists from Imperial College,

of very small concentrations of such molecules. lead to a technique for the accurate measurement which light interacts with molecules of Edinburgh University and CLRC to advance seconds) long. This capability has been used in shorter duration - only 50 femtoseconds (10⁻¹⁵ developments, can produce pulses of even The ASTRA laser, one of CLRC's latest atmospheric pollutant gases. This work may also significantly the understanding of the way in research carried out by a team of scientists from

> to be carried out almost anywhere could enable state-of-the-art air quality monitoring certain power level, the probability of ionisation of contaminant. It was discovered that, above a spectrum of ions observed for each individual iemtosecond laser photo-ionisation spectroscopy portable laser and detection system based on Advances in laser technology indicate that a with a further increase in irradiation power. intensity of the ionisation signal does not increase all the molecules present is the same and that the objective is to eliminate the need to calibrate the from the parent ion to be detected. The second before it has time to dissociate, enabling signals duration, to produce ions of the original molecule The first objective is, by using the short pulse



on the VULCAN laser. Maintaining beam quality and integrity whilst A measurement of the beam quality of the ultra-short (sub-picosecond) pulse working at ultra-high intensities is a continuous challenge. The phase profile ndicates a beam distortion of ~2.5 microns

Particle Physics

still to be established and the pattern of observed gauge bosons - through which they interact. This the leptons - and the force-carrying particles particle physicists use to describe the fundamenta The Standard Model is the theoretical framework masses remains a mystery. Although it suggests how particles acquire mass applying most naturally to massless particles. two sets of fundamental particles - the quarks and building blocks of matter and their properties. It through symmetry breaking, the mechanism has model is based upon symmetry principles describes the universe very precisely in terms of

CLRC's physicists and engineers have played key year. In the following examples, their contribution roles in a number of developments through the particle physics. success of the collaborations which are the norm in has been particularly significant in ensuring the

for the PEP II The BaBar detector

in California. The accelerator at SLAC

One of the most important measurements from the reactions in the Sun. The measurement is responsible for both radioactivity and nuclear The W particles are the carriers of the 'weak force pair production in electron-positron annihilations $80.35 \text{ GeV/}c^2 (\pm 0.07\%)$, obtained from studies of Geneva was the mass of the W particle at Large Electron Positron collider at CERN in

in B-meson decays detect asymmetries is designed to BaBar experiment

of matter rather

universe is made explain why the which could

for the whole of the calorimeter, used for detecting electromagnetic radiation from particle decays calorimeter together with the readout electronics UK effort this year was the design, construction to be identified and the energy of every photon the PEP II accelerator at SLAC in California in particles - B and Bbar mesons - is due to begin at 1999. The aim is to try to understand why the differences in the decay of matter and antimatter

be predicted. The indications are that the Higgs top quark masses allows the mass of the Higgs to there is no direct experimental evidence yet for the a strength that determines their masses. Although particle may be lighter than previously thought mean that a precise determination of the W and interact with a new particle, the Higgs boson, with Standard Model - the Higgs particle. Particles the remaining undiscovered particle in the Higgs boson, subtle quantum mechanical effects University. According to this mechanism, particles manner devised by Peter Higgs of Edinburgh acquire their mass in the Standard Model in a important because its value constrains the mass of

underway to reduce this limit still further. been determined, severely constraining possible By studying the behaviour of very low energy expected to have a very small electric dipole extensions to the Standard Model. Work is Grenoble, a new upper limit of 6.3×10^{-26} cm has neutrons in electric and magnetic fields at ILL in particles at higher masses, give much larger values example those proposing the existence of new ideas of physics beyond the Standard Model, for negative charge separated by about 10⁻³² cm. Mos moment corresponding to a unit positive and Within the Standard Model, the neutron is

installation and operation of the endcap part of the emitted has to be measured. The main focus of the asymmetry, every particle in the decay cascade has The BaBar experiment, designed to observe universe is made mostly of matter. To observe any

Space Science and Technology

the support they need to explore the ever-growing itself. Meanwhile, the academic Starlink data origins is gathered from space. CLRC has worked Much of our knowledge of the Universe and its volume of astronomical information. Appleton Laboratory provides researchers with service and software library at CLRC Rutherford outwards into space, others scrutinising the Earth most advanced satellite systems: some looking with universities to build and test some of the

what material is left over to seed comets and of ice have been detected as well as solid carbon rock found here on Earth. Similarly, large amounts and pyroxenes - common constituents of igneous A new subject in astronomy - the study of planets around new stars. understand more about how stars evolve and dioxide. This information will help astronomers silicates in the form of minerals known as olivines revealed that these clouds contain magnesium-rich associated gas. Data from these instruments has and analyse the type and amount of any board this satellite detect these 'clouds of dust' circumstellar shells - was opened up by ISO, the Infrared Space Observatory. Spectrometers on

protons. SOHO


tracks produced by ejection and the coronal mass development of howing the

results are the energetic

insights into the

providing new

eruptions called coronal mass ejections. In X-ray flares and each was followed by fast the 6th, this active region produced two very large navigational equipment. In November 1997, the This can have a profound effect on the Earth's the Sun change places - known as the solar cycle Every eleven years, the 'north and south' poles of stream of very energetic (about 100 MeV) protons wind to generate a strong shock wave producing a ever seen, passing out into the surrounding solar particular, the later ejection was one of the fastest solar cycle. On the 4th of November, and again on Sun produced its first active region of the new can, in turn, disrupt power supplies or affect magnetic field giving rise to magnetic storms that



CLRC scientists are now able to give some for effects on supply and transmission. and allows power station operators to be prepared allows satellite shut-down to minimise damage several hours before they reach the Earth. This advance warning of solar flares and mass ejections monitoring data from SOHO and other satellites signals being sent to Earth. By continuously caused havoc as they hit communication and which flooded the Earth's inner heliosphere. These meteorological satellites, disrupting many of the

taken by SOHO,

global warming seems to be escalating. only half the amount of global warming can be By comparing solar irradiance figures to the only very small (0.1% of the total output) it can third from 1970 onwards - man's contribution to increase in solar output. Between 1930 and 1970, occurred up to 1920 can be attributed to an estimates that all of the global warming that century, CLRC's Professor Mike Lockwood surface temperatures on Earth since the turn of the rise in the solar irradiance during this century is power output - the solar irradiance. Although the The solar magnetic field influences the Sun's tota attributed to the Sun and this figure reduces to one still have a marked effect on the Earth's climate

the Sun itself.


to be much hotter

cause the corona mechanisms that

than the surface of

Engineering and Instrumentation

huge superconducting magnets for the ATLAS reality, on projects ranging from the design of industry and universities to transform ideas into CLRC's engineers work in partnership with both



Microelectronics is at the heart of CLRC's operations.
Advanced microcircuits are custom designed for specific purposes, for example in systems control, data acquisition and

targets with high energy protons. The UK has the is via the spallation of medium and heavy mass exotic nuclei with maximal intensities and the first to produce the broadest possible range of such experiments is to use two accelerators: the widely accepted that the best way to carry out a facility were also identified. The study of nuclea radiocommunication studies and meteorological experiment at CERN to the design of radar for ideal source of such protons in the ISIS producing radioactive nuclei for post acceleration required energy. The preferred method of second to accelerate these unstable nuclei up to the induce nuclear reactions on target atoms. It is now physics demands beams of energetic particles to broad science areas which could benefit from such generation radioactive ion beam accelerator. The technical description and layout of SIRIUS, a next research. This year saw the completion of the

Current research pushes instrumentation to its limit as experiments require larger amounts of data to be collected over shorter periods. Such equipment does not come off the shelf: detectors have to be designed specifically for a particular type of experiment.

synchrotron accelerator.

Advanced microelectronics is the key technology that underpins most of the developments in 'stateof-the-art' instrumentation. The optimisation of the design of analogue microelectronics to maximise

the signal to noise ratio for a system of sensors requires access to the most advanced microelectronics technology. Likewise the data acquisition systems designed to process the massive quantities of data encountered in modern scientific experiments also require the latest electronics system design tools and techniques.

process data at more than 1.6 terabytes per second detectors that make up the CMS tracking detector CMOS - which provides the research community 0.25 micron complementary metal-oxide silicon -Large Hadron Collider. The technology used is Compact Muon Spectrometer (CMS) at the CERN is the APV25 chip designed by CLRC for the Encyclopaedias Britannica every second. format circuit boards. This system will read and off-detector readout system involving 1000 large involved will be transmitted by optical fibres to an The analogue output from the 100,000 chips with improved performance, at reduced cost, readout of the silicon tracking detector in the equivalent to reading 3000 complete will be used to read out the ten million separate based on 1.2 micron technology. The APV25 chip when compared, for instance, to a previous design A recent example of advanced analogue electronic

Compound

Many of the activities at CLRC's laboratories generate large amounts of data, all of which has to be stored and analyzed using the latest computing techniques. In many cases, especially where data are used to model systems, conventional computers are unable to deliver the necessary performance and parallel processing is the only realistic option. CLRC's computational scientists and engineers have worked with university colleagues to develop powerful software suites and programming methodologies to exploit the most advanced computer architectures now and in the future. These have the ability to perform



A virtual reality model showing the internal components of the ATLAS inner vertex detector at the Large Hadron Collider at CERN.

The sight lines of the built-in optical surveying system for monitoring the alignment of the detector components are indicated in red. VR techniques have now developed into an essential design tool for complex constructions.

billions of calculations a second, allowing researchers to model some aspect of the physical world, such as climate change, the action of and industrial catalyst, or the structure of a molecule that could be useful in cancer therapy.

One modern approach is based on a number of parallel networks of commodity PCs, known as Beauulf machines. With help from collaborators in the US National Institute of Health, a Beowulf pilot system was assembled at CLRC Daresbury Laboratory, based on Pentium II processors with ethernet connections between them. This is now being used extensively for scientific calculations which are truly parallel – just the kinds of calculation that have previously been performed using conventional massively parallel systems.

Investigations are now underway on how to scale performance up to larger numbers of processors, the merits of different types of processors and networks (or switches), and the effect of different operating systems (NT versus Unix or Linux). Such systems are expected to have a major impact in many areas of science and engineering in future years.

The Virtual Reality (VR) Centre at CLRC Rutherford Appleton Laboratory provides facilities for groups of scientists and engineers to interact with 3D virtual environments in real time using a large stereo projection screen. Individuals can also experience them using a head-worn personal

viewing system. The latter enables the user to fee totally immersed within the virtual environment and to move around it and interact with it as though it was a real location.

to optimise the design of one of the most operation of the experiment to take account of the optical survey system using light sources and position must be very accurately measured. A novel interaction region. In order to do this, its own exact positions of particles emerging from the LHC challenging components of the ATLAS experiment Collider (LHC) project at CERN. VR enables them new experimental facilities for the Large Hadron CLRC scientists are using VR techniques to develop inside this huge magnetic detector system. small displacements that will inevitably occur deep detector to be constantly monitored during will enable the positions of the components of the detectors is being incorporated in the design. This the inner vertex detector – that has to measure the

And there's more...

This concludes a brief dip' into the work of CCLRC.

More details can be found in the Council's
newsletter Science & Technology, its website
http://www.circ.ac.uk/ and from the contacts listed
towards the end of this report.

Achieving our objectives

Richard
Lawrence-Wilson
Director
Administration

Operations

The Council for the Central Laboratory of the Research Councils (CCLRC) was established on 1 April 1995 as a Research Council under the Science and Technology Act 1965. As the name indicates, CCLRC provides facilities and services supporting the grantholders of the funding research councils – specifically, BBSRC, EPSRC, MRC, NERC, PPARC – and others. These councils are the principal stakeholders in CCLRC, providing some eighty per cent of the funding. In addition there is a significant, and increasing, proventage from other sources.

CCLRC has a strategic role in providing the national facilities and technical expertise for very large instruments such as neutron and synchrotron X-ray sources and lasers. A key objective is to

develop the services provided to the users and to increase the utilisation both by the science base through the research councils and directly with industry and Government.

A second key objective is to develop the core competences and other capabilities that can contribute significantly to the nation's science and technology knowledge base, and that can be sustained by virtue of an evident competitive edge derived from scale, capability and flexibility.

A strategic aim of CCLRC is to secure a broadening and growth of CCLRC's collaborator base to ensure that the public sector investment is being exploited and to ensure that CCLRC contributes fully to the UK science, engineering and technology base as a whole. The Government's Comprehensive Spending Review



Researchers Dr Nick Hay and Emma Springate from Imperial College, London working in the ASTRA laser traility. The newly commissioned ASTRA ultra-high intensity laser facility complements the existing Vukan interaction facility. The CLF also operates the Lasers for Science Facility where a diverse range of laser equipment is available for use to the research community.



A scanning electron micrograph of a tiny rack and pinion, less than 1mm high, fabricated in a single step process from a commercial resist material by scientists at the Central Microstructure Facility. CLRC's advanced technological capabilities are available to both the industrial and university research communities and are used increasingly by small, start-up companies who need access to the latest techniques but lack the capital to make the necessary investment.

(CSR) target is for CCLRC to derive 30% of its income from non-Research Council sources within 5 years. CCLRC's approach is based on partnerships: strategic partnerships with major organisations, including joint ventures, and with start up companies, including the licensing of intellectual property as appropriate.

In order to maximise the efficiency and effectiveness of CCLRC in supporting its major stakeholders, every opportunity is taken to access complementary funding sources. In the UK, this has included successful collaborations with university partners under JIF and JREI mechanisms, direct contracts with other Government Departments and private sector funding. Looking further afield, contracts with the EU and countries across the globe complement the domestic activity, bringing a welcome broadening of CCLRC's horizons and providing direct recognition of the world-class status of CCLRC's facilities and activities.

To further these connections, a small Direct Vote has been established, arising from the CSR, which allows CCLRC to invest in activities which

represent the future for facility and technology developments or exploitation.

Major facilities and programmes

The operation of the Synchrotron Radiation Source (SRS) at the Daresbury Laboratory is funded principally by EPSRC (65%) with BBSRC and MRC contributing 17% of the total operating costs. The current balance of users is 85% from physical sciences and 15% life sciences. Over the coming years this balance is expected to shift more towards life science studies.

Following consultations with users, CCLRC has carried out a feasibility study on a new synchrotron. The DIAMOND proposal is for a medium energy X-ray electron storage ring based on the use of insertion devices, at a cost of approximately £173M. Following the CSR, provision for funding a new facility has been made by the Wellcome Trust (up to £110M) and the Covernment £25M in this CSR period with more to follow in the next). BBSRC, £PSRC, MRC and NERC have all indicated their need for such a facility and detailed consultations with the



sure that interacting techniques allow before committing components will fit designers to be visualisation projects. Advanced range of design

firm up on the specification. potential user communities are taking place to

target station and key beamline components. Professor Sir Michael Thompson, confirmed that refurbishment programme for the ISIS accelerator have now agreed a seven-year £17M UK research councils and international partners refurbishing critical components of the ISIS facility facilities that are unmatched anywhere in the elsewhere in Europe and beyond with neutron ISIS provides the scientific communities in the UK The Council's ISIS Review Panel, chaired by timely addition of a Second Target Station. The justified an upgrade to the accelerator and the and recommended that demand for the facility world. It urged that attention be paid to

upgrade of the Vulcan laser, which has been of the Central Laser Facility programme. An The Vulcan laser accounts for approximately 75%

> during the year, taking them into the next have been the subject of research council awards 2002. The ASTRA and Lasers for Science facilities funded by EPSRC, will become operational in

of the International Space Station. of BNSC to support the UK community in the use programmes, the first of which is a role on behalf for participation in new international space Space Centre (BNSC). This will give further scope integrated as a full partner in the British National PPARC and NERC. CCLRC has recently been comes from Service Level Agreements with Primary funding for Space Science and Technology

local user support for UK researchers working at for its community. This includes the provision of CCLRC, a strong particle physics support activity distant sites as well as computing, theory and PPARC funds, via a service level agreement with

Public Understanding of

(PUST)

Science and Technology

development.

technical support and co-ordination for instrumen administrative support for the community and

during the year for a variety of lectures and other lectures - a new initiative at CLRC Daresbury events, including 900 who attended six public welcomed some 3000 further visitors to its sites the preceding week. The two laboratories and 650 professional visitors welcomed during facilities, with a further 1100 schoolchildren over 3000 members of the public touring the Laboratory took place in July 1998 and saw similar event at CLRC Rutherford Appleton CLRC Daresbury Laboratory in 1997, a Following the successful Open Days at

by the Science Minister, Lord Sainsbury. This the Sun and the Stars' held in London and hosted Whitehall staff. hundred, including Lords, MPs and senior event attracted a capacity audience of several with PPARC, in a DTI SET event on 'The Eclipse, CCLRC also played a leading role, in collaboration

Science, the overall project co-ordinator for the British Association for the Advancement of AlphaGalileo. for the site. This is funded through an award from technical development, management and support the French Government and others, CLRC other research councils, OST, the Wellcome Trust, CCLRC played an important role in the Rutherford Appleton Laboratory provides the providing support for the pilot service, along with access to breaking science stories. As well as AlphaGalileo, providing the media with 24-hour establishment of a new science news service,

> of a skilled workforce Maintenance The 1999 Eclipse

develop the processes necessary to attain the and the Laboratory expects to be ready for made. Process implementation is now under way 1999 confirmed that significant progress had been standard, and a staff survey conducted in early Departments have worked throughout the year to to work towards achieving the IiP standard. acknowledged the commitment made by CCLRC Heart of England Training and Enterprise Council of Investors in People (IiP). In October 1998, the now being addressed more globally in the context in the annual review of staff performance and is of modern practices in scientific, technical and development to ensure that it takes full advantage CCLRC is committed to ongoing training and administrative activities. This is already embedded

> otherwise be who might

chance to get a

across to a large cientific message rovides a real

imber of people

relationships during 1998-99. The Council's Management and Trade Union sides enjoyed good

of the opportunity.

and appropriate events, a Website series of public set up to promote the Eclipse Group, significant role in CLRC played a difficult to reach

nedia coverage to



its deployment for an ESA satellite for testing prior to Cooler is being is the key to engineering science and bear on advanced and expertise to range of skills staff bring a wide mission. CLRC assembled ready case, a Space success. In this attention to detail Care and

management recognises and appreciates the time and effort which was given by the Trades Union representatives to the consultative processes that aim to ensure a framework of partnership

in achieving the objectives of the Council.

Equality of opportunity

The Council is committed to equality of opportunity in the workplace and has policies and procedures in place to ensure that employment and advancement are judged solely on the basis of ability, qualifications and suitability for the work available. Regular monitoring verifies that these procedures are operating effectively. Recruitment by the Council is undertaken on the basis of fair and open competition. The Council has adopted the policy statements on equal opportunities and on race relations issued by the Cabinet Office.

The Council pays particular attention to supporting those with family or other caring responsibilities by means of flexible working arrangements and other forms of support including part-time working, job sharing and career breaks. The workplace nursery provided by the Council at CLRC Rutherford Appleton Laboratory continues to operate at full capacity and received a glowing report from the OFSTED inspectors.

The Council's policy is that disablement is no bar to recruitment or to advancement within its workforce Applicants with disabilities are given full and fair consideration for any vacancy. The Council has carried out detailed reviews on both its sites in orde to ensure that, wherever possible, physical barriers to mobility are removed. The Council has established links with groups and organisations that promote the employment of people with disabilities

Health & Safety

The Council has published a Safety Policy
Statement together with subsidiary statements for
each of its main sites. Safety Committees,
including representatives of the workforce, are
maintained at each site, meeting regularly and
operating in accordance with the recommendations
of the Health and Safety Executive. The Council
monitors safety performance by means of regular
reports and has set targets for the maintenance and
improvement of health and safety.


The number of reportable lost time accidents of duration greater than three days was just 3.5 per 1000 employees (for example, comparing favourably to the 1998 national average for the electrical/electronic (research) category of 5.7).

The total number of days lost was 202 - 126 days of which were attributable to a single occurrence – compared to 102 days the previous year.

For the calendar year 1998, both CLRC Daresbury
Laboratory and CLRC Rutherford Appleton
Laboratory were awarded Gold Awards for
Occupational Safety by the Royal Society for the
Prevention of Accidents. The two main
prerequisites for the Award are a high quality safety
management system and a low accident record.

Environmental policy

The Central Laboratory is subject to all statutes and regulations applying to private sector bodies. All statutory requirements were fully complied with during the year. The Council has published an environmental policy statement setting standards and targets relating to its scientific and technical operations and to waste, emission and other environmental aspects of its work.



Amanda Frank from Occupational Health check a member of CLRC staff. Both main sites have resident Occupational Health teams - provided under contract by RGIT Ud.

An inevitable consequence of the operation of the ISIS facility is the production of small quantities of radioactive gas, mainly tritium, which are discharges to atmosphere via monitored ventilation stacks. The Environment Agency authorises these discharges and sets the allowable limits. The authorised limits for 1998-99 were 2,860 GBq of tritium and 200 TBq of nuclides. The measured discharges of 698 GBq for tritium and 29 TBq of nuclides during the year were well within these limits. Some 24 tonnes of low-level solid radioactive waste was sent to AEA Technology, Harwell for disposal and 214 litres of low-level equeous radioactive waste was sent to the UKAEA for disposal.

The recycling of materials has been extended and now includes toner and printer cartridges, fluorescent tubes, drinks cans, scrap metal and office and workshop waste. The quantity of paper recycled as a percentage of the amount purchased has increased year on year over the last four years

1995-96 1996-97 1997-98 1998-99

recycled	Percentage	
	23	
	29	
	62	
	0	

Year 2000 compliance

The Council set up a Year 2000 project team early in 1997. The team continued its work during 1998-99 and, by the end of the year, all systems were either compliant or plans were in place to achieve compliance before the end of 1999.

Financial and management systems

1998-99 was the third year in which the Council produced accounts on an accruals basis and the second in which they were produced from the system termed FAMIS (Financial Accounting and Management Information System).

and learn lessons from the project. resolve the outstanding issues as soon as possible that the Council and the Department take steps to and Industry. They concluded that it was essential between the Council and the Department of Trade was an unacceptable lack of communication concluded that the complexity of the FAMIS March 1999 at which the Chief Executive was on the Council's accounts for 1997-98 led to a based on an inadequate analysis, and that there not to parallel run the new and old systems was project had been underestimated, that the decision implementation of FAMIS. The Committee examined on the procurement, installation and hearing of the Public Accounts Committee in The report of the Comptroller and Auditor General

The operation of FAMIS was reviewed in the Autumn of 1998 and a project plan has since been followed to complete the implementation of the system's key elements. This has enabled the production and audit of the Council's 1998-99 accounts to the agreed timetable. The software has been upgraded to a later release which is Year 2000 compliant. A joint project team composed of Council staff and consultants from the suppliers continued to work to put in place the final elements of the system. Full acceptance is expected in Autumn 1999.

Commercial partnerships

especially strong growth in the industrial sector. total value of commercial sales continues to rise year on year with from aerospace engineering to environmental science. The number and routine sample analysis to truly integrated partnerships covering areas engaged in successful collaborations with over 120 companies, from by helping industry to introduce new and emerging technologies - an One of the key aims of CLRC is to facilitate the innovation process essential element of success in today's competitive world. CLRC is already

Resident companies

of a new type of field emitting display in the established operations on CLRC sites. One such fabrication and testing facilities for the production company, PFE Ltd has set up comprehensive use the facilities of CLRC and several have New and developing companies are encouraged to

that attracted the company back from Silicon Valley in the USA. case, CCLRC has taken a small stakeholding in the company - an arrangement displays using microtechnology equipment and expertise at RAL. In this latter on the Chilton site, another being Ceravision which is developing flat panel at the CLRC Rutherford Appleton Laboratory. PFE is one of several compa PFE Ltd is a young company developing field emitter

comparative ease. large sizes and realistic production volumes with cheaper to manufacture but can be scaled up to generic broad area field emitter that is not only far Laboratory. The company holds the patents on a ATLAS centre at CLRC Rutherford Appleton

technology and flat panel displays. optical switching, silicon microcircuits, laser companies utilise the facilities in the fields of Rutherford Appleton Laboratory's Central room and silicon processing facilities at CLRC Exitech continued to make good use of the clear Bookham Technology, Qudos Technology and Microstructure Facility, as does Ceravision. These

as quickly as possible. to get an interactive service named IRIS to market Over the past few years there have been several Interactive Media Corporation (IMC) whose aim is example, and the first in which CCLRC holds property developed at CLRC. The most recent spin-out companies exploiting intellectual significant equity, is a company called the

e-mail messages and a whole lot more surf the Internet, log into their home computer, send PC which looks like a TV but can also allow users to service with those available on a PC. The result is a IRIS aims to combine the best features of a television

from CLRC and Trinity College, Dublin. Eighteen The concept was first proposed by researchers months later, Jury's Hotels was hosting a live trial

> to corporate, educational and domestic use. surgery patients in Harley Street in London. Now an IRIS system in a 'designer' hotel for plastic for its paying guests. One year later, IMC installed several multimedia companies are seeking licensing deals with IMC to apply this technology

Sample analysis service

and healthcare industries. main customers coming from the pharmaceutical DARTS has almost doubled its income with its infrared microscopy to X-ray diffraction. This year complementary techniques and analysis from rapid turnaround and access to a wide variety of Source. This value-added service provides for on X-ray techniques at the Synchrotron Radiation DARTS provides a turnkey sample analysis based

Detector systems

energy synchrotron. CLRC has now joined forces with Oxford Japan's SPring-8 - the World's brightest high Instruments to supply one of these detectors to data over very short timescales (milliseconds). scientists to collect high quality X-ray diffraction than conventional solid state detectors, enabling capability at least two orders of magnitude higher Synchrotron. This system has a count rate been developed, and installed, at the Daresbury A new type of photon detector system, RAPID, has

(X-ray Signal Processing Electronics for Solid State detector design from EG&G Ortec with XSPRESS C-TRAIN is the name of another new and highly new detector system is the combination of a novel generated from a synchrotron light source. This stimulated with a single energy X-ray beam Daresbury Laboratory. This reveals chemical compact detector system designed at CLRC fluorescence X-rays emitted from a sample when 'fingerprints' by measuring the intensity of

> by EG&G Ortec and will soon be appearing at Detectors) digital electronics developed at the synchrotron laboratories around the world. Laboratory. This detector is now being marketed




DARTS' Elizabeth MacLean, at work on SRS Station 2.3. The powder liffraction techniques it supports are used by the materials industry.

Satellite testing

in Bristol for integration into Europe's largest It has now been delivered to Matra Marconi Space (AATSR) spent many months in a purpose-built the Advanced Along Track Scanning Radiometer environmental satellite, ENVISAT. thermal and electrical performances were checked were radiometrically calibrated and its optical, which operate at infrared and visible wavelengths sophisticated test sequence. Its seven detectors, space simulation chamber at RAL during its Laboratory. The heat-sensing instrument, known as calibration campaign at CLRC Rutherford Appleton for use in climate research has completed its Europe's most advanced space-based thermometer

chamber. UoSAT-12, which has been designed completed thermal vacuum testing in the same experimental and educational minisatellite Closely following the testing of AATSR, an



Laboratory. The Rutherford Appleton testing at CLRC UoSAT-12 spacecraft being made to the thermal vacuum chamber prior to within the space tes Final connections

to be encountered in during spacecraft stresses that occur will survive the satellite subsystems is used to prove that space. A separate mimic the conditions facility can carefully ibration test facility

> year design life. control and navigation experiments, and has a five minisatellite carries novel propulsion, attitude Earth observation payloads. Weighing 350 kg, the advanced low Earth orbit communications and Technology Limited, will demonstrate

Modelling

design processes. It can reduce development times integrity, and reduce improve product efficiency, reliability and Computer simulation is a major element in many ironmental impact. The

drive towards

these advanced computing techniques. tackling 'real world' simulation problems using and Engineering Department at CLRC Daresbury only realistic option. The Computational Science conventional computers are unable to deliver the Laboratory, in collaboration with industry, is now necessary performance: parallel processing is the more accurate simulations inevitably means that

on a range of computer platforms, including portable and has been tested by British Aerospace machine. The final version, however, is fully complex algorithms designed for standard code for obtaining Euler predictions of flows over A good example of this is a recent project, funded workstation clusters Aerospace was a 128 node Silicon Graphics Origin and analysis. The target platform for British in aircraft design and simulation. It contains FLITE3D, is used extensively by British Aerospace complex aerodynamic configurations. The package by British Aerospace, to parallelise an industrial parallelisation of the code required careful design suited to multi-processor computers. So the sequential computers and is not inherently well-

European Union and the DTI Broadband Service, funded by the Cellular Radio Access for this year was CRABS, project completed Another major

Radiocommunications Agency. CLRC's Engineering Department developed a number of tools based on databases of building, terrair and vegetation which can be used to

the rear. British Aerospace must be able to model very complex aircraft to stay at the forefront of technology. By use of parallel processing, a more complete investigation of key parameters can be undertaken, vital where the flow behaviour can be unpredictable (courtesy of British Aerospace). Simulation of a F18 fighter plane at Mach O.8 and a 10° angle of attack with a Mach 1.0 jet issuing from

> television and internet services to homes by using worldwide delivery of high quality digital CLRC played a pivotal role, will open up the The completion of the CRABS project, in which accurately predict and optimise signal coverage effective option than optical fibres. high frequency radio signals as a more cost-

Information Technology

in the US, with 330 organisations now on board. CLRC's Information Technology Department is a membership of W3C had increased 38% faster than industry champions were encouraged to the Web. In a series of high profile seminars, future business. By the end of the project, Europear demonstrate the positive impact of the Web to their increase European industry's awareness of W3C and Informatique et an Automatique) and CLRC to between INRIA (Institut National de Recherche en which, in November 1997, launched a joint project member of the World Wide Web consortium, W3C

computer system to handle potential flood waters for wine but for water! CLRC software engineers of CLRC's IT activities takes us to Bordeaux - not water companies, have developed and installed a Lyonnaise des Eaux, one of the world's largest in close collaboration with a team from Suez Another example of the continuing, wider impact

advice on how best to tackle the situation. but also interprets them and gives immediate only filters and groups the alarms from the network becomes extremely difficult. The new system not of alarms triggered escalates rapidly and the task certain limit in one of these basins, an alarm is continuously. As soon as the water levels reach a and water retention basins which are monitored of underground storage tanks, high capacity pipes Since devastating floods in 1982, the Bordeaux triggered. In a potential flood situation the number urban community has invested in a huge network



the most traditional of industries (courtesy of Suez Lyonnaise des Eaux). erground drainage network are monitored. As well as their application in ries based on the very latest technologies, modern IT solutions are applied

partnerships **Business Development - new**

can link you with the technology that you need. Development Manager for your industrial sector are always welcome and a specialist Business were also arranged during the year. New partner Alastair MacDonald and many individual visits on an 'industry day' chaired by DTI DG (Industry More than 200 senior industrialists visited CLRC

a commercial interface is there to make this solve industrial and university problems alike and The resources of CLRC are there to be exploited to

Report). further details (see contacts at the end of this Contact the Business Development Office for

Senior management (At 1 April 1999)
























CCLRC

Financial summary 1998-99

Operating turnover



Total recurrent operating income 1998-99 £91.2M (1997-98 £96.5M)



Total recurrent operating expenditure 1998-99 £96.6M (1997-98 Restated* £96.6M)


gowth in income from exercised a venical or \$2.44V. Income from operating activities was significantly less than the previous year with operating expenditure, reflecting the facilitation of the Section of Income from the UK Research Councils. In contrast, operating expenditure, reflecting the facilitation nature of much of the Councils operations, fell slightly. The facilitation is the previous of the Council of the Councils operations, fell slightly. The facilitation is operated on Operating Plan for the next two years which is togeted to return the operating position to break-even by 3.1 March 2001. Managament information arrangements are being developed after active implementation problems with the one inhanced system. Full details of 1998 99 financial performance are available in the Council's accounts, which are published separately.

Resources

Total fixed assets employed	Assets under construction, at cost or valuation	Plant and equipment, net book value after depreciation	Land and buildings, at cost or valuation		Values at the year end	CAPITAL ASSETS	Staff (average whole-time equivalent employed)	
3 130	11.3	137.1	113.1		EM.		1691	1998-99
7 050	6.2	145.4	107.8	Restated*	W3		1722	1997-98

* Restated due to changes required by Financial Reporting Standard 12, Provisions, Contingent Uabilities and Contingent Assets.

Events 1998-99















the Day and by supporting a local team



pational Safety, the Esso linar set out to give 'A



aimed to highlight young researchers



magazine prize for the best poster at the Radiology 98 conference organised by the British Institute of Radiology, covering all kinds of salical imaging, and attracting more them 2020 delegates. The poster striked 'The acknowinges of Synchrotron Radiotion for Breast Imaging' Staff at CLRC Dai congress committee. Photo courtesy Rob Lewis.



physics at RAL, has been working

Both the Sun and the Earth have

Sun and the Earth interact will help rund the Earth help deflect the Solar

Contact points

programme are available from and specific information on the departmental publications. These programme are available in

Finance	Administration	Synchrotron Radiation	Space Science & Technology	Particle Physics	Lasers	ISIS	Instrumentation	Engineering	Information Technology	
01235 445181	01235 445644	01925 603324	01235 445111	01235 445448	01235 445655	01235 445610	01235 445566	01235 445612	01235 445634	

should be directed to the following: Other, more general enquiries

Press and Public Relations

01235 4	Rutherford Appleton Laboratory
01925 0	Daresbury Laboratory

Marketing and Business Development

Rutherford Appleton Laboratory 01235 445700 01925 603432

Rutherford Appleton Laboratory 01235 445384 01925 603397

CCLRC's World Wide Web pages More details are available from

The URL of its home page is http://www.cclrc.ac.uk/

Further information

Publications

the following contacts: Further details of CCLRC's

> Public Relations section including: available from the Press and A range of publications is


Science & Technology - the newsletter of

the Central Laboratory

More specialised reports including those Central Microstructure Facilities. from the ISIS, SRS, Central Laser and

Information Technology	01235 445634
Engineering	01235 445612
Instrumentation	01235 445566
ISIS	01235 445610
Lasers	01235 445655
Particle Physics	01235 445448
Space Science & Technology	01235 445111
Synchrotron Radiation	01925 603324
Administration	01235 445644
Einence	01234 444181

Three issues yearly cience & Technology





Annual Report



Annual Report

